

Drilled Shaft Pier Detail

Minimum 2500 psi concrete
 Grade 60 Steel
 Allow a minimum of 4 days for curing
 #4 Vertical rebar (1/2") - 6' to 7' long
 #3 Stirrups (3/8")
 Concrete must pass a 6" Slump test
 Concrete must be vibrated
 Lift rebar from bottom as shown on layout
 All water in holes must be pumped out

If water table issues are encountered, use lime to absorb the moisture in bottom of holes

